

Mobilo

Clinic | Care | Assist



Mobilo. Simply **MORE.**



Mobilo with push grips and side guards



Comfortably bedded from the day of ADMISSION to the day of DISCHARGE.

The Mobilo Stretcher is one of the most flexible products in the Stieglmeyer Clinic range. Developed and built for the wide-ranging requirements in outpatient care, the Mobilo can also be used as a day patient bed. Due to the particularly large and comfortable four-section mattress base and a wide range of accessories, the Mobilo Stretcher can be adapted quickly and easily to the varying requirements of care work. This means less repositioning of patients, safe treatment and less pain for the patient. The versatility of the Mobilo eases work processes and makes for cost savings in many respects.



The „ONE STRETCHER CAN DO EVERYTHING“ Stiegemeyer principle

SOLUTIONS - optimised for day to day care


Whatever the situation in which the Mobilo is used, the many and varied features and the wide range of accessories offer full flexibility and allow safe and easy operation. In addition, the Mobilo is particularly easy to clean.

The wide ergonomically designed push grips at the head and foot end make it easy to manoeuvre the Stretcher swiftly and easily. (See large illustration*)


The paper roll holder can be fitted either at the head or the foot end. (Illustration 1*)

The Mobilo is equipped with standard rails to allow pumps etc. to be attached. (Illustration 2)

Push grips as a manoeuvring aid



Serving table



CARE in every situation

All items required for the care and treatment of the patient can be fitted to the Mobilo easily, securely and quickly, guaranteeing flexibility of use.

A further criterion for in-patient use is, for example, the easy attachment of a tray, so that the patient can be cared for without needing to be repositioned. (See large illustration*)

The double telescopic IV stands can be fitted to both rails of the bed. (Illustration 4*)

Space for a vitally important oxygen bottle and for the patient's personal belongings is

provided by the storage tray underneath the bed. (Illustration 5)

Essential care accessories can be positioned and attached variably on both sides of the Mobilo using the supply rails. (Illustration 6)

*Optional accessory

Technical data

DIMENSIONS and WEIGHTS

External dimensions:	870 x 2185 mm
Mattress base:	700 x 2000 mm
Safe working load:	200 kg
Maximum lifting capacity:	250kg
Ground clearance with mattress base in lowest position:	approx. 90 mm
Total weight:	approx. 130 kg (including side guards)

ADJUSTMENT OPTIONS

Tilting the mattress base in Trendelenburg position:	up to approx. 12°
Tilting the mattress base in anti-Trendelenburg position:	up to approx. 12°
Mattress base height:	approx. 470-790 mm
Raising the backrest:	up to approx. 70°
Raising the thigh rest height:	up to approx. 45° (in the case of four-section mattress base)

MATTRESS BASE

Two or four-section* mattress base

Mattress base sections (BR / sitting area / UL / LL)
740/130/377/618 mm (in the case of four-section mattress base)

Standard mattress (polyether cold foam)

Thickness:	80 mm
Density:	55 kg/m ³

Viscoelastic mattress*

Thickness:	100 mm (30 mm visco foam, 70 mm cold foam)
Density:	85/55 kg/m ³

PU coated mattress cover

- Basis weight: 330gr/m²
- Antistatic
- Disinfectant-proof, easy-care

SIDE GUARDS

- Integrated side guards* can be lowered at the sides
- Protection height 350 mm above mattress base

CASTORS

Standard:	150 mm double castors
Castor load capacity:	150 kg per castor
Option:	200 mm integral castors, conductive models

Central castor guides on all corners

MOUNTING OPTIONS for patient care equipment

- Two location sleeves each for IV stands at the head and foot end integrated in the grip rails
- Supply rails on both sides with universal holders underneath the mattress base

HEAD and FOOT SECTIONS

- Grip rail removable through screw connection
- Suitable for holding IV stands

MATERIALS

- Undercarriage and mattress frame:
Steel-welded construction with durable polyester powder coating
- Mattress base sections: laminated sheets
- Grip rails: polyamide 6, POM, stainless steel

PROTECTION against damage

- Four wall deflection rollers at the corners, either horizontally or horizontally and vertically* effective
- Two horizontally effective wall deflection rollers at the side guard seating area towards the foot end
- Edge protection integrated in side guards

Further OPTIONAL FEATURES

- A bed table tray (can be placed on side guards)

Accessories: Technical data

INFUSION STAND

Material:	Chromium-plated steel, IV stand hooks plastic
Useful length:	approx. 623 to 1318 mm

PUSH GRIPS

Material:	Stainless steel
Use:	Insertable in IV stand sleeves at head and foot section, locks into place through snap-on contact

PAPER ROLL HOLDER

Material:	Powder-coated steel, plastic
Use:	Usable at head and foot end, for paper rolls up to 550 mm wide and internal diameter of at least 35 mm

*Optional accessory



Mobilo

The Stiegelmeyer Mobilo is one of the most universal Stretchers in the exacting hospital sector. Due to its sophisticated design it adapts to the wide-ranging requirements of complex hospital procedures.

As a result of its design and its comprehensive features the Mobilo provides the patient with a high degree of safety and comfort. The Stretcher can be used not just in outpatient care, but also as a bed for day patients. The highlights of this Stretcher convince through their superior Stiegelmeyer quality and guarantee a long life time:

- 700 mm x 2000 mm, 4-section mattress base, adjustable on both sides to every position
- Side guards with a protection height of 350 mm above the mattress base
- An extra storage tray for a vitally important oxygen bottle
- Especially ergonomic push grips at the head and foot end
- Holders for IV stands at all four corners
- Supply rails on both sides for the variable attachment of accessories
- Attachment facility for a tray

Joh. Stieglmeyer GmbH & Co. KG
Ackerstraße 42, 32051 Herford, Germany
Phone: +49 (0) 52 21/185-0
Fax: +49 (0) 52 21/185-252
E-Mail: info@stiegelmeyer.com
www.stiegelmeyer.com

